



Order form - extra options for a build-up stand

NAME EXHIBITOR:

This material can only be ordered by exhibitors who have applied for a build-up stand (= surface + walls, nameboard and carpet). Ordering extra panels gives you the possibility to divide your stand in different spaces or to make a storage room. In case of a store room, the number of panels for building one, will be charged.

It is strictly prohibited to nail, drill, staple into the panels or to paint them.
Damages will be charged with a minimum of € 48 per panel.

Orders during the construction period have a surcharge of 50% and are only available as long as stocks last. If not, a transportation cost of € 125,00 will also be charged.

Invoicing is done by Alter Expo, Buntstraat 102 - 9940 Evergem

SPECIFICATIONS	PRICE	NUMBER
1. Supplementary panel 2,50mH x 1mB	€ 43,50	
2. Supplementary panel 2,50mH x 0,5mB	€ 31,00	
3. Curtain white or black 2,50mH x 1mB	€ 19,25	
4. Door + lock 2,50mH x 1mB	€ 73,70	
5. Horizontal shelf 30cmD x 1mL against the wall (per run.m.)	€ 24,00	
6. Ceiling lath (per run.m.) To order per run.m. from wall to wall or wall to fronton. For example to hang lighting. Aluminium material (Max. 5m long)	€ 11,00	


Deadline of orders below until 19/09/2019

7. Ceiling cloth black or white (per m ²)	€ 17,25	
8. Print on panel (per run.m.) / SEE IMAGE 1 <ul style="list-style-type: none"> Total dimension 2422mmH x 966 mmW Total visible dimension 2410mmH x 954mmW(6mm bleed around) Please consider the aluminum frame (46mm) which interrupts the image PRINT NOT REUSABLE AFTER FAIR	€ 115,00	
9. Printed textile (per run.m.) / SEE IMAGE 2 <ul style="list-style-type: none"> Orders only possible from 2 running meter Total & visible dimension (per 2 run.m). 2500 mmHx 1966 mmW TEXTILE REUSABLE AFTER FAIR, FRAME FOR RENT	€ 125,00	

IMAGE 1 / print op panel



IMAGE 2 / print op peesdoek



Images to be delivered, in PDF, min 150 dpi 1/1, by WeTransfer to info@alterexpo.com, mentioning name of event, company name and standnr.
Please mention the exact placement of the printed panel in the remarks field.

Comments: